

# TASK

table base plate

059-28110770 059-2891117



Project / Type	
Notes	
Count / Date	



## General

Table , Standing
tilt min -15°
tilt max 15°
rotation 360°
white , RAL 9010 <sup>1</sup>
Mounting pure white
IP20
950 lm

## LED

3000 K
CRI ≥ 90
L90 / 50000 h
initial MacAdam ≤ 3 SDCM
R <sub>g</sub> : 96 , R <sub>r</sub> : 90 , R <sub>t(1-15)</sub> : 90
MR 0.61
MDER 0.56

## Optical

Opal
opal (lambertsch)

## Electrical


touch DIM / stand alone sensor
presence
220-240 V
system 11.0 W
system 86 lm/W <sup>2</sup>
PC2

## Physical


base plate
length 227 mm
width 120 mm
height 880 mm
5.3 kg

<sup>1</sup> RAL code  
<sup>2</sup> FIXTURE: incl. consideration of optical losses & internal control unit losses SYSTEM: incl. consideration of optical losses, internal control unit losses & operating device efficiency.

## Light distribution



## Product drawing



## Installation instructions



# TASK

table base plate  
059-28110770 059-2891117



Project / Type

Notes

Count / Date

## Components

### BASE PLATE

COLOUR	Ø (MM)	ARTICLE NUMBER(S)
pure white	220	059-2891117

