

MOVE IT 10 track square suspended /

pole
030-1315038



Project / Type

Notes

Count / Date



General

Ceiling , Track Suspended

jet black , RAL 9005 ¹

IP20

Electrical

DALI-2

48 V

PC3

Physical

length 2100 mm

width 19 mm

height 24 mm

¹ RAL code

Installation instructions



Thin extruded aluminium profile with 24 mm height and 10 mm width groove; angular design; for vertical, horizontal or suspended mounting (1500 mm cable suspension as an accessory); height adjustment without tools; surface anodised jet black; with integrated power track profile on both sides for take off of supply voltage and DALI-2 signal; power supply and DALI-2 signal for both power tracks with only one feed by means of PASS THROUGH connector (as an accessory); light insets can be installed and moved without tools by means of clip mount; degree of protection IP20; PC3; 48 V; accessories are listed separately;

Product drawing





Project / Type _____

Notes _____

Count / Date _____

Mounting accessories

END CAPS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1 pair	traffic white	19-24-16	030-1320017
1 pair	jet black	19-24-16	030-1320018



L CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1335017
mechanical	jet black	030-1335018



T CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1336017
mechanical	jet black	030-1336018



X CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
mechanical	traffic white	030-1337017
mechanical	jet black	030-1337018



LEVEL CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	jet black	141-11-27	030-2351118



LINEAR CONNECTOR

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	50-16-13	030-2300018
mechanical & electrical	140-16-13	030-2301038



MOVE IT 10 track square suspended /

pole

030-1315038



Project / Type

Notes

Count / Date

Mounting accessories

CABLE SUSPENSION

COLOUR	ARTICLE NUMBER(S)
chrome	030-2230014
jet black	030-2230018
white	030-2230017



CABLE SUSPENSION LINEAR CONNECTOR

COLOUR	ARTICLE NUMBER(S)
chrome	030-2210014
jet black	030-2210018
white	030-2210017



CABLE SUSPENSION LINEAR CONNECTOR ELECTRICAL

COLOUR	ARTICLE NUMBER(S)
chrome	030-2220014
jet black	030-2220018
white	030-2220017



CANOPY

COLOUR	L-W-H (MM)	Ø (MM)	ARTICLE NUMBER(S)
traffic white		90	005-2600737
jet black		90	005-2600738
traffic white	90-90-22		005-2311717
jet black	90-90-22		005-2311718



Mounting accessories

POLE MOUNTING SET

TYPE	COLOUR	ARTICLE NUMBER(S)
1 pair floor to ceiling or wall to wall	traffic white	030-1341017
1 pair floor to ceiling or wall to wall	jet black	030-1341018
wall bracket 400 mm incl. end cap floor to wall	traffic white	030-1342017
wall bracket 400 mm incl. end cap floor to wall	jet black	030-1342018



MOUNTING SET CEILING

TYPE	COLOUR	ARTICLE NUMBER(S)
incl. end cap	traffic white	030-1343017
incl. end cap	jet black	030-1343018



3-in-1 mounting tool

ARTICLE NUMBER(S)
030-2611000



MOVE IT 10 track square suspended /

pole
030-1315038



Project / Type

Notes

Count / Date

Electrical accessories

L CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	85-10-85	030-2111138



T CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-75	030-2121138



X CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-160	030-2131138



LINEAR CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2101138



FLEX CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2141138



CONNECTOR CEILING TO WALL

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2161138



LEVEL CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	141-11-27	030-2151138



Electrical accessories

INTERNAL POWER FEEDER

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
jet black	115-11-10	030-2525038



PASS THROUGH CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical 1 pair	jet black	030-2171138



DALI-2 SELV DEVICE

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
control unit	212-37-26	050-2061130



WIRELESS TO DALI-2 CONTROL DEVICE

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
Casambi	150-11-23	030-2531030



[030-1315038] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com



Project / Type _____

Notes _____

Count / Date _____

Electrical accessories

POWER SUPPLY EXTERNAL

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
60 W	163-43-32	002-62133
150 W	350-30-18	002-62135
250 W	400-40-22	002-62139

DIN RAIL POWER SUPPLY

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
160 W	72-90-63	005-6520210

Electrical accessories

DIN RAIL POWER SUPPLY PRO

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
240 W	60-125-100	005-6220110
480 W	100-125-120	005-6220210

DIN RAIL POWER SUPPLY

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
160 W	72-90-63	005-6520210

Optical accessories

BLIND COVER

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1100 mm	traffic white	1100-12-10	030-1003017
1100 mm	jet black	1100-12-10	030-1003018
2100 mm	traffic white	2100-12-10	030-1005017
2100 mm	jet black	2100-12-10	030-1005018
3100 mm	traffic white	3100-12-10	030-1007017
3100 mm	jet black	3100-12-10	030-1007018
custom cut	traffic white		E83600....7
custom cut	jet black		E83600....8