

# MOVE IT PRO trimless track emergency


086-5124138



Project / Type

Notes

Count / Date



General

Ceiling / Wall , Recessed

black , RAL 9005 <sup>1</sup>

IP20

Electrical

DALI-2

PC1

Physical

length 4000 mm

width 110 mm

height 55 mm

recessed trimless

Cutout

length 4004 mm

width 45 mm

recessed depth 59 mm

<sup>1</sup> RAL code

Extruded aluminium profile with 45 mm width and 55 mm height; for trimless installation in plasterboard ceilings; suitable for ceiling thickness of 12.5 mm; with integrated 3-phase copper conductors + 4 emergency lighting copper conductors (2 emergency lighting circuits) + 2 DALI copper conductors for take off of supply voltage, emergency lighting power supply and DALI signal; surface black powder coated; insets, incl. high power adapter + converter can be installed flexibly and without tools; degree of protection IP20; PC1; accessories are listed separately;

Product drawing



Installation instructions



# MOVE IT PRO trimless track emergency

086-5124138



Project / Type

Notes

Count / Date

## Mounting accessories

### END CAP

| TYPE    | COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|---------|---------------|------------|-------------------|
| 1 piece | traffic white | 68-7-49    | 086-5220117       |
| 1 piece | jet black     | 68-7-49    | 086-5220118       |



## Mounting accessories

### CONNECTOR

| TYPE                        | COLOUR    | L-W-H (MM) | ARTICLE NUMBER(S) |
|-----------------------------|-----------|------------|-------------------|
| linear connector electrical | jet black | 122-27-33  | 086-5211138       |




### L CONNECTOR

| TYPE           | COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|----------------|---------------|------------|-------------------|
| poles external | traffic white | 140-140-55 | 086-5221337       |
| poles external | jet black     | 140-140-55 | 086-5221338       |
| poles internal | traffic white | 140-140-55 | 086-5222337       |
| poles internal | jet black     | 140-140-55 | 086-5222338       |
| mechanical     | traffic white | 92-92-55   | 086-5222307       |
| mechanical     | jet black     | 92-92-55   | 086-5222308       |




### T CONNECTOR

| TYPE                   | COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------------------|---------------|------------|-------------------|
| poles internal - right | traffic white | 236-140-55 | 086-5221437       |
| poles internal - right | jet black     | 236-140-55 | 086-5221438       |
| poles internal - left  | traffic white | 236-140-55 | 086-5222437       |
| poles internal - left  | jet black     | 236-140-55 | 086-5222438       |
| poles external - right | traffic white | 236-140-55 | 086-5221737       |
| poles external - right | jet black     | 236-140-55 | 086-5221738       |
| poles external - left  | traffic white | 236-140-55 | 086-5222737       |
| poles external - left  | jet black     | 236-140-55 | 086-5222738       |
| mechanical             | traffic white | 138-92-55  | 086-5222407       |
| mechanical             | jet black     | 138-92-55  | 086-5222408       |



### X CONNECTOR

| TYPE       | COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|------------|---------------|------------|-------------------|
|            | traffic white | 236-236-55 | 086-5221537       |
|            | jet black     | 236-236-55 | 086-5221538       |
| mechanical | traffic white | 138-138-55 | 086-5221507       |
| mechanical | jet black     | 138-138-55 | 086-5221508       |



## Mounting accessories

### MECHANICAL LINEAR CONNECTOR SET

| ARTICLE NUMBER(S) |
|-------------------|
| 050-2011110       |



[086-5124138] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.  
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · [www.xal.com](http://www.xal.com)

# MOVE IT PRO trimless track emergency

086-5124138



Project / Type


Notes

Count / Date

## Electrical accessories

### POWER FEEDER WITH EMERGENCY CONDUCTORS

| TYPE                 | COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|----------------------|---------------|------------|-------------------|
| end feed poles left  | traffic white | 324-110-62 | 086-5224137       |
| end feed poles left  | jet black     | 324-110-62 | 086-5224138       |
| end feed poles right | traffic white | 324-110-62 | 086-5223137       |
| end feed poles right | jet black     | 324-110-62 | 086-5223138       |
| middle feed          | traffic white | 500-110-62 | 086-5223237       |
| middle feed          | jet black     | 500-110-62 | 086-5223238       |



### POWER FEEDER WITHOUT EMERGENCY CONDUCTORS

| TYPE         | COLOUR    | L-W-H (MM) | ARTICLE NUMBER(S) |
|--------------|-----------|------------|-------------------|
| intrack feed | jet black | 131-24-33  | 086-5213338       |



## Electrical accessories

### ESSENTIAL SENSOR MOVE IT PRO

| TYPE                  | COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|-----------------------|---------------|------------|-------------------|
| brightness & presence | traffic white | 260-43-46  | 086-5218117       |
| brightness & presence | jet black     | 260-43-46  | 086-5218118       |



### SENSE SENSOR MOVE IT PRO

| TYPE   | COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|--|---------------|------------|-------------------|
| brightness, presence, temperature, sound pressure, humidity, CO2 | traffic white | 260-43-46  | 086-5218127       |
| brightness, presence, temperature, sound pressure, humidity, CO2 | jet black     | 260-43-46  | 086-5218128       |



## Optical accessories

### BLIND COVER

| COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|---------------|------------|-------------------|
| traffic white | 25000-45-5 | 086-6082507B      |
| jet black     | 25000-45-5 | 086-6082508B      |



### BLIND COVER ALUMINIUM

| COLOUR        | L-W-H (MM) | ARTICLE NUMBER(S) |
|---------------|------------|-------------------|
| traffic white | 1000-45-9  | 086-6010007B      |
| jet black     | 1000-45-9  | 086-6010008B      |
| traffic white | 2000-45-9  | 086-6030007B      |
| jet black     | 2000-45-9  | 086-6030008B      |
| traffic white | 3000-45-9  | 086-6050007B      |
| jet black     | 3000-45-9  | 086-6050008B      |

