

# MOVE IT PRO trimless track


086-5121138



Project / Type

Notes

Count / Date



General

Ceiling / Wall , Recessed

black , RAL9005 <sup>1</sup>

IP20

Electrical

DALI-2

PC1

Physical

length 1000 mm

width 110 mm

height 55 mm

recessed trimless

Cutout

length 1004 mm


width 45 mm

recessed depth 59 mm

<sup>1</sup> RAL code

Extruded aluminium profile with 45 mm width and 55 mm height; for trimless installation in plasterboard ceilings; suitable for ceiling thickness of 12.5 mm; with integrated 3-phase copper conductors + 4 emergency lighting copper conductors (2 emergency lighting circuits) + 2 DALI copper conductors for take off of supply voltage, emergency lighting power supply and DALI signal; surface black powder coated; insets, incl. high power adapter + converter can be installed flexibly and without tools; degree of protection IP20; PC1; accessories are listed separately;

Product drawing



Installation instructions



# MOVE IT PRO trimless track

086-5121138



Project / Type

Notes

Count / Date

## Mounting accessories

### END CAP

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1 piece	traffic white	68-7-49	086-5220117
1 piece	jet black	68-7-49	086-5220118



## Mounting accessories

### CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
linear connector electrical	jet black	122-27-33	086-5211138




### L CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
poles external	traffic white	140-140-55	086-5221337
poles external	jet black	140-140-55	086-5221338
poles internal	traffic white	140-140-55	086-5222337
poles internal	jet black	140-140-55	086-5222338
mechanical	traffic white	92-92-55	086-5222307
mechanical	jet black	92-92-55	086-5222308




### T CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
poles internal - right	traffic white	236-140-55	086-5221437
poles internal - right	jet black	236-140-55	086-5221438
poles internal - left	traffic white	236-140-55	086-5222437
poles internal - left	jet black	236-140-55	086-5222438
poles external - right	traffic white	236-140-55	086-5221737
poles external - right	jet black	236-140-55	086-5221738
poles external - left	traffic white	236-140-55	086-5222737
poles external - left	jet black	236-140-55	086-5222738
mechanical	traffic white	138-92-55	086-5222407
mechanical	jet black	138-92-55	086-5222408



### X CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
	traffic white	236-236-55	086-5221537
	jet black	236-236-55	086-5221538
mechanical	traffic white	138-138-55	086-5221507
mechanical	jet black	138-138-55	086-5221508



# MOVE IT PRO trimless track

086-5121138



Project / Type

Notes

Count / Date

## Mounting accessories

### MECHANICAL LINEAR CONNECTOR SET

ARTICLE NUMBER(S)
050-2011110



### CONDUCTORS CUTTING TOOL

COLOUR	Ø (MM)	ARTICLE NUMBER(S)
white	267	086-5219110



## Electrical accessories

### POWER FEEDER WITH EMERGENCY CONDUCTORS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
end feed poles left	traffic white	324-110-62	086-5224137
end feed poles left	jet black	324-110-62	086-5224138
end feed poles right	traffic white	324-110-62	086-5223137
end feed poles right	jet black	324-110-62	086-5223138
middle feed	traffic white	500-110-62	086-5223237
middle feed	jet black	500-110-62	086-5223238



### POWER FEEDER WITHOUT EMERGENCY CONDUCTORS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
intrack feed	jet black	131-24-33	086-5213338



## Optical accessories

### BLIND COVER

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
25000 mm	traffic white	25000-45-5	086-6082507B
25000 mm	jet black	25000-45-5	086-6082508B

