




wästberg

2024





The ultimate task light, evolved

Product: w227 Winkel alu


For the 10-year anniversary of w127 Winkel, we presented w227 Winkel alu: the evolution of our bestselling task light, that takes its bold design to a new level, it has been completely re-engineered with one clear goal: to get more out of less. Now based on aluminium, this next-generation task light uses significantly less material and features new, slimmer arm profiles and joints, an extended movement range and an evolved light technology. With its unique and exceptional performance, w227 Winkel alu truly redefines state-of-the-art, high-end task lighting.

---

Design: Dirk Winkel, 2022

Features: Less is more  
High-performance light  
Efficient glare protection  
Recycled and recyclable aluminium  
Full-spectrum LED





### Efficient glare protection

w227 Winkel alu features an effective anti-glare construction that prevents glare without any significant light loss.

### Full-spectrum LED

Designed to recreate the full, uninterrupted colour spectrum of sunlight, full-spectrum light has a rich, profound quality that is impossible to achieve with the limited spectrum of a standard LED. Full-spectrum light also offers superior colour rendering, making it an ideal choice for environments where correct colour perception is a vital aspect.



### Recycled and recyclable aluminium

Not only is aluminium a tried-and-tested, classic and infinitely recyclable material – its strength and lightness allow for robust, resource-efficient constructions. w227 Winkel alu consists of partly recycled aluminium, which itself can be recycled at the end of its long lifespan.




### Adapts effortlessly

Designed to adapt seamlessly to modern working environments, w227 Winkel alu offers two mounting options – table or pin – and is available in both white and black. In 2024 we introduce an additional tumbled raw aluminium finish.


### High-performance light

w227 Winkel alu's entire concept is built on providing state-of-the-art light, and in this, it truly excels. Built around a COB LED, it is a well-thought-through, precisely engineered lighting solution in a system of several individual components. Each of these plays its own vital role in delivering a generous yet incredibly even spread of high-quality, dimmable light over a large surface.



### Raw


w227 Winkel alu is available in a tumbled raw aluminium finish, with no added coatings or protective treatments. This allows for resource-efficient production, easier recycling, and a graceful ageing process. Already from the start, its naturally textured surface, that may show imperfections from the production process, has a rich, tactile depth; over time, marks, stains, fingerprints, and oxidation will evolve into a beautiful, distinctive patina.




### Less is more

w227 Winkel alu delivers even more pared-down dimensions and aesthetics than its predecessor, while surpassing it in flexibility. Designed to require as little material as possible, its slender arms and joints are now hollow, allowing previously visible cables and springs to be concealed.

w227 Winkel alu p



w227 Winkel alu b



## Technical information

<b>Physical</b>	
<b>Material</b>	Lamp body: aluminium Base & pin: steel
<b>Optics</b>	Diffuser: acrylic Reflector & glare shade: polyamide
<b>IP rating</b>	20
<b>Protection class</b>	III

<b>LED</b>	
<b>Light source</b>	COB LED (included)
<b>Lifetime expectancy</b>	L80 / 50,000 h
<b>CRI Colour rendering index</b>	97
<b>SDCM</b>	3-step MacAdam
<b>Replaceable by a professional</b>	

More technical information online  
[wastberg.com/en/w227-winkel-alu](http://wastberg.com/en/w227-winkel-alu)



## Article-specific information

<b>Version</b>	p
<b>Mounting</b>	Pin – integrated (hole ø 14 mm)
<b>LED Colour temperature (CCT) / Luminous flux</b>	3000 K / 497 lm
<b>Voltage / System power</b>	100–240 V / 8.2 W
<b>Light control</b>	Integrated dimmer switch (timer 8h)
<b>Net weight</b>	0.5 kg

<b>Colour / Finish</b>	
Traffic white	●
Jet black	●
Raw tumbled	●

<b>Accessories</b>	
Adapter suitable for USM Haller Table	227ACC001 / 7330492002040
Adapter suitable for USM Haller Shelf	227ACC006 / 7330492002057
Adapter suitable for Vitra Joyn 2	227ACC002 / 7330492002064
Adapter suitable for Vitra Tyde 2	227ACC003 / 7330492002071

<b>Art. No. / EAN code</b>	
227P20230	/ 7330492000725
227P20530	/ 7330492000732
227P22030	/ 7330492001708

<b>Art. No. / EAN code</b>	
227ACC001	/ 7330492002040
227ACC006	/ 7330492002057
227ACC002	/ 7330492002064
227ACC003	/ 7330492002071

<b>b</b>	
Table	
3000 K / 497 lm	
100–240 V / 8.2 W	
Integrated dimmer switch (timer 8h)	
4.0 kg	

<b>Art. No. / EAN code</b>	
227B20230	/ 7330492000701
227B20530	/ 7330492000718
227B22030	/ 7330492001692

<b>Art. No. / EAN code</b>	