

# MOVE IT 10 track square curve direct

suspended  
030-1532038



Project / Type

Notes

Count / Date



General

Ceiling , Track Suspended

jet black , RAL 9005 <sup>1</sup>

IP20

Electrical

DALI-2

48 V

PC3

Physical

width 19 mm

height 24 mm

centerline radius 500 mm

segment 90°

<sup>1</sup> RAL code

Installation  
instructions



Thin extruded aluminium profile with 24 mm height and 10 mm width groove; CURVE channel 90°; for suspended mounting (1500 mm cable suspension as an accessory); height adjustment without tools; with integrated power track profile for take off of supply voltage and DALI-2 signal; surface anodised jet black; light insets can be installed and moved without tools by means of clip mount; degree of protection IP20; PC3; 48 V; accessories are listed separately;

Product drawing



# MOVE IT 10 track square curve direct

suspended  
030-1532038



Project / Type

Notes

Count / Date

## Mounting accessories

### END CAPS

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1 pair	traffic white	19-24-16	030-1320017
1 pair	jet black	19-24-16	030-1320018

## Mounting accessories

### LINEAR CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical	jet black	030-2101138

### L CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	85-10-85	030-2111138
mechanical	traffic white		030-1335017
mechanical	jet black		030-1335018

### T CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-75	030-2121138
mechanical	traffic white		030-1336017
mechanical	jet black		030-1336018

### X CONNECTOR

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
electrical	jet black	160-10-160	030-2131138
mechanical	traffic white		030-1337017
mechanical	jet black		030-1337018



# MOVE IT 10 track square curve direct

suspended

030-1532038



Project / Type

Notes

Count / Date

## Mounting accessories

### CABLE SUSPENSION

COLOUR	ARTICLE NUMBER(S)
chrome	030-2230014
jet black	030-2230018
white	030-2230017



### CABLE SUSPENSION LINEAR CONNECTOR

COLOUR	ARTICLE NUMBER(S)
chrome	030-2210014
jet black	030-2210018
white	030-2210017



### CABLE SUSPENSION LINEAR CONNECTOR ELECTRICAL

COLOUR	ARTICLE NUMBER(S)
chrome	030-2220014
jet black	030-2220018
white	030-2220017



### CANOPY

COLOUR	L-W-H (MM)	Ø (MM)	ARTICLE NUMBER(S)
traffic white	90-90-22		005-2311717
jet black	90-90-22		005-2311718
traffic white		90	005-2600737
jet black		90	005-2600738



### LINEAR CONNECTOR

TYPE	L-W-H (MM)	ARTICLE NUMBER(S)
mechanical	50-16-13	030-2300018
mechanical & electrical	140-16-13	030-2301038



## Mounting accessories

### 3-in-1 mounting tool

ARTICLE NUMBER(S)
030-2611000



## Electrical accessories

### INTERNAL POWER FEEDER

COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
jet black	115-11-10	030-2525038



## Electrical accessories

### PASS THROUGH CONNECTOR

TYPE	COLOUR	ARTICLE NUMBER(S)
electrical   1 pair	jet black	030-2171138



['030-1532038'] The technical data represent rated values for an ambient temperature of 25°C. The data values for the luminous flux are initially subject to a tolerance of +/- 10%, those for the electrical connected load are initially subject to a tolerance of +/- 10%, and those for the colour temperature are initially subject to a tolerance of +/- 150 K. No liability is assumed for typographical or printing errors. The general terms and conditions of XAL GmbH apply.  
© XAL GmbH · Auer-Welsbach-Gasse 36 · 8055 Graz · Austria · www.xal.com

06.04.2025

# MOVE IT 10 track square curve direct

suspended  
030-1532038



Project / Type

Notes

Count / Date

## Optical accessories

### BLIND COVER

TYPE	COLOUR	L-W-H (MM)	ARTICLE NUMBER(S)
1100 mm	traffic white	1100-12-10	030-1003017
1100 mm	jet black	1100-12-10	030-1003018
2100 mm	traffic white	2100-12-10	030-1005017
2100 mm	jet black	2100-12-10	030-1005018
3100 mm	traffic white	3100-12-10	030-1007017
3100 mm	jet black	3100-12-10	030-1007018
custom cut	traffic white		E83600....7
custom cut	jet black		E83600....8

